



SEQUENCE LISTING

- ☐
- ☐
- ☐ <110> Lane, David
- ☐ Bottger, Volker
- ☐ Bottger, Angelica
- ☐ Picksley, Stephen
- ☐ Chene, Patrick
- ☐ Hochkeppel, Heinz-Kurt
- ☐ Garcia-Echeverria, Carlos
- ☐ Furet, Pascal
- ☐
- ☐ <120> Inhibitors of the Interaction of P53 and MDM2
- ☐
- ☐ <130> 4-20937/A/PCT
- ☐
- ☐ <140> herewith
- ☐ <141> 1999-01-05
- ☐
- ☐ <150> PCT/EP97/03549
- ☐ <151> 1997-07-04
- ☐
- ☐ <160> 83
- ☐
- ☐ <170> PatentIn Ver. 2.0
- ☐
- ☐ <210> 1
- ☐ <211> 19
- ☐ <212> PRT
- ☐

Sub
C1
B1

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 1

☐

Pro Leu Ser Gln Gln Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro Glu

☐

1

5

10

15

☐

☐

Asn Asn Val

☐

☐

☐

☐

<210> 2

☐

<211> 5

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<223> Where Xaa may be any amino acid

☐

☐

<400> 2

☐

Phe Xaa Xaa Leu Trp

☐

1

5

☐

☐

Sub
C1
cont
B1
cont

☐ <210> 3
☐ <211> 10
☐ <212> PRT
☐ <213> Artificial Sequence
☐
☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐

☐ <220>
☐ <223> Xaa represents any amino acid and proline,
☐ phenylalanine, aspartic acid, tyrosine ,
☐ tryptophan and leucine are L-amino acids

☐ <220>
☐

☐ <400> 3
☐ Pro Xaa Phe Xaa Asp Tyr Trp Xaa Xaa Leu
☐ 1 5 10

☐
☐ <210> 4
☐ <211> 10
☐ <212> PRT
☐ <213> Artificial Sequence
☐

☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐

*Sub
C!
cont.*

*B!
Cont*

☐
<220>
☐
<221> VARIANT
☐
<222> (1)..
☐
<223> x=proline, leucine, glutamic acid, cysteine or
☐
glutamine
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (5)
☐
<223> x = arginine, histidine, glutamic acid, cysteine,
☐
serine or preferably aspartic acid.
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (6)
☐
<223> x = histidine, phenylalanine, or preferably
☐
tyrosine
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (1)
☐
<223> x=proline, leucine, glutamic acid, cysteine or
☐
glutamine
☐

☐
<220>
☐
<223> Xaa at position 2, 5, 8 and 9 is any amino acid
☐

☐

Sub
C1
cont.

B1
Cont.

☐ <400> 4

☐

Xaa Xaa Phe Xaa Xaa Xaa Trp Xaa Xaa Xaa

☐

1

5

10

☐

☐

☐

<210> 5

☐

<211> 10

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (1)

☐

<223> x = proline, leucine, glutamic acid, cysteine or

☐

glutamine

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (2)

☐

<223> x = arginine, asparagine, alanine, threonine or

☐

valine

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (4)

☐

Sub
C!
cont.

B!
Cont

<223> X = methionine, isoleucine, threonine, arginine,

☐

alanine or serine

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (5)

☐

<223> X= arginine, histidine, glutamic acid, cysteine,

☐

serine or preferably aspartic acid.

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (6)

☐

<223> X = histidine, phenylalanine or preferably

☐

tyrosine

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (8) .

☐

<223> X = glutamic acid, threonine, alanine,

☐

phenylalanine or serine

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (9)

☐

<223> X= glycine, glutamine, threonine, alanine or

☐

aspartic acid

☐

☐

<220>

☐

B1
Cont

Sub
C1
Cont

<221> VARIANT

☐

<222> (10)

☐

<223> Xaa = phenylalanine, glutamine or preferably

☐

leucine

☐

☐

<400> 5

☐

Xaa Xaa Phe Xaa Xaa Xaa Trp Xaa Xaa Xaa

☐

1

5

10

☐

☐

☐

<210> 6

☐

<211> 12

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 6

☐

Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn

☐

1

5

10

☐

☐

☐

<210> 7

☐

<211> 12

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

B'
Cont.

Sub
C'
cont.

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 7

☐

Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro

☐

1

5

10

☐

☐

☐

<210> 8

☐

<211> 15

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 8

☐

Pro Arg Pro Ala Leu Val Phe Ala Asp Tyr Trp Glu Thr Leu Tyr

☐

1

5

10

15

☐

☐

☐

<210> 9

☐

<211> 28

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

B1
Cont

Sub
C1
Cont

☐ <400> 9
☐ Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn Arg Gln Ile Lys

☐ 1 5 10 15

☐ Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys

☐ 20 25

☐ <210> 10

☐ <211> 8

☐ <212> PRT

☐ <213> Artificial Sequence

☐ <220>

☐ <223> Description of Artificial Sequence:peptide

☐ <220>

☐ <221> VARIANT

☐ <222> (2)

☐ <223> X = methionine, isoleucine, threonine, arginine,

☐ alanine or serine, preferably methionine

☐ <220>

☐ <221> VARIANT

☐ <222> (3)

☐ <223> X = arginine, histidine, glutamic acid, cysteine,

☐ serine, or preferably aspartic acid.

☐

B1
Cont.

Sub
C1
Cont.

☐ <220>
☐ <221> VARIANT
☐ <222> (4)
☐ <223> X = histidine, phenylalanine, or preferably
☐ tyrosine
☐ <220>
☐ <221> VARIANT
☐ <222> (6)
☐ <223> X = glutamic acid, threonine, alanine,
☐ phenylalanine or serine, preferably glutamic acid

☐ <220>
☐ <221> VARIANT
☐ <222> (7)
☐ <223> X = glycine, glutamine, threonine, alanine or
☐ aspartic acid, preferably glycine.

☐ <220>
☐ <221> VARIANT
☐ <222> (8)
☐ <223> X = phenylalanine, glutamine or preferably
☐ leucine.

☐ <400> 10
☐ Phe Xaa Xaa Xaa Trp Xaa Xaa Xaa

☐ 1 5
☐

B1
Cont
Sub
C1
Cont

☐
☐
<210> 11
☐
<211> 9
☐
<212> PRT
☐
<213> Artificial Sequence
☐
☐
<220>
☐
<223> Description of Artificial Sequence:peptide
☐
☐
<220>
☐
<221> VARIANT
☐
<222> (1)
☐
<223> X = arginine, asparagine, alanine, threonine or
☐
valine, particularly arginine.
☐
☐
<220>
☐
<221> VARIANT
☐
<222> (3)
☐
<223> X = methionine, isoleucine, threonine, arginine,
☐
alanine or serine, preferably methionine
☐
☐
<220>
☐
<221> VARIANT
☐
<222> (4)
☐
<223> X = arginine, histidine, glutamic acid, cysteine,
☐
serine or preferably aspartic acid.
☐
☐

B1
Cont.

Sub
C1
Cont.

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (5)

☐

☐ <223> Xaa = histidine, phenylalanine or preferably

☐

tyrosine.

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (7)

☐

☐ <223> X = glutamic acid, threonine, alanine,

☐

phenylalanine or serine, preferably glutamic acid.

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (8)

☐

☐ <223> X = glycine, glutamine, threonine, alanine or

☐

aspartic acid preferably glycine.

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (9)

☐

☐ <223> X = phenylalanine, glutamine or preferably

☐

leucine.

☐

☐

☐ <400> 11

☐

Xaa Phe Xaa Xaa Xaa Trp Xaa Xaa Xaa

☐

☐ 1

☐ 5

☐

☐

B1
Cont

Sub
C1
Cont

☐ <210> 12
☐ <211> 8
☐ <212> PRT
☐ <213> Artificial Sequence
☐
☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐

☐ <400> 12
☐ Pro Ala Phe Thr His Tyr Trp Pro
☐ 1 5
☐

☐
☐ <210> 13
☐ <211> 8
☐ <212> PRT
☐ <213> Artificial Sequence
☐

☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐

☐ <400> 13
☐ Pro Thr Phe Ser Asp Tyr Trp Pro
☐ 1 5
☐

☐
☐ <210> 14
☐

*Sub
C 4
cont*

☐ <211> 8

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <400> 14

☐

☐ Pro Arg Phe Met Asp Tyr Trp Pro

☐

☐ 1

☐ 5

☐

☐

☐

☐ <210> 15

☐

☐ <211> 9

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <400> 15

☐

☐ Arg Phe Met Asp Tyr Trp Glu Gly Leu

☐

☐ 1

☐ 5

☐

☐

☐

☐ <210> 16

☐

☐ <211> 8

☐

☐ <212> PRT

☐

Sub
C1
cont.

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <400> 16

☐

☐ Phe Met Asp Tyr Trp Glu Gly Leu

☐

☐ 1

☐ 5

☐

☐

☐

☐ <210> 17

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <400> 17

☐

☐ Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro

☐

☐ 1

☐ 5

☐ 10

☐

☐

☐

☐ <210> 18

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

Sub
C1
cont

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> x = Ac-Thr

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (12)

☐

☐ <223> X = Phe-NH2

☐

☐

☐ <400> 18

☐

☐ Xaa Gly Pro Ala Phe Thr His Tyr Trp Ala Thr Xaa

☐

☐ 1

☐ 5

☐ 10

☐

☐

☐

☐ <210> 19

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

Sub
C1
Cont

☐ <222> (1)

☐

☐ <223> X = Ac-Met

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (12)

☐

☐ <223> X = Asn-NH2

☐

☐

☐ <400> 19

☐

Xaa Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Xaa

☐

1

5

10

☐

☐

☐

☐ <210> 20

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> X = Ac-Gln

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

Sub
C1
cont

☐ <222> (12)

☐

☐ <223> Pro-NH2

☐

☐

☐ <400> 20

☐

☐ Xaa Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Xaa

☐

☐ 1

☐ 5

☐ 10

☐

☐

☐

☐ <210> 21

☐

☐ <211> 8

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> X = Ac-Pro

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (8)

☐

☐ <223> X = Pro-NH2

☐

☐

☐ <400> 21

☐

☐ Xaa Ala Phe Thr His Tyr Trp Xaa

☐

*Sub
C1
cont.*

1

5

☐

☐

☐

<210> 22

☐

<211> 8

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (1)

☐

<223> X = Ac-Pro

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (8)

☐

<223> X = Pro-NH2

☐

☐

<400> 22

☐

Xaa Thr Phe Ser Asp Tyr Trp Xaa

☐

1

5

☐

☐

☐

<210> 23

☐

<211> 8

☐

Sub
C1
cont

☐ <212> PRT
☐ <213> Artificial Sequence
☐
☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐

☐ <220>
☐ <221> VARIANT
☐ <222> (1)
☐ <223> X = Ac-Pro
☐

☐ <220>
☐ <221> VARIANT
☐ <222> (8)
☐ <223> X = Pro-NH2
☐

☐ <400> 23
☐ Xaa Arg Phe Met Asp Tyr Trp Xaa
☐ 1 5

☐
☐ <210> 24
☐ <211> 12
☐ <212> PRT
☐ <213> Artificial Sequence
☐
☐ <220>
☐ <221> VARIANT
☐

Sub
C1
cont:

☐ <222> (1)

☐

☐ <223> X = Ac-Gln

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (12)

☐

☐ <223> X = Pro-NH2

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <400> 24

☐

☐ Xaa Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Xaa

☐

☐ 1

☐ 5

☐ 10

☐

☐

☐

☐ <210> 25

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> Ac-Gln

☐

*Sub
C1
cont*

☐ <220>
☐ <221> VARIANT
☐ <222> (12)
☐ <223> X = Pro-NH2
☐
☐ <400> 25
☐ Xaa Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Xaa
☐ 1 5 10
☐
☐ <210> 26
☐ <211> 12
☐ <212> PRT
☐ <213> Artificial Sequence
☐
☐ <220>
☐ <223> Description of Artificial Sequence:peptide
☐
☐ <220>
☐ <221> VARIANT
☐ <222> (1)
☐ <223> X = Ac-Gln
☐
☐ <220>
☐ <221> VARIANT
☐ <222> (12)
☐ <223> X = Pro-NH2
☐

*Sub
C1
cont.*

□

<400> 26

□

Xaa Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Xaa

□

1

5

10

□

□

□

<210> 27

□

<211> 12

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Val

□

□

<220>

□

<221> VARIANT

□

<222> (12)

□

<223> X=Phe-NH₂

□

□

<400> 27

□

Xaa Gln Asn Phe Ile Asp Tyr Trp Thr Gln Gln Xaa

□

1

5

10

□

□

☐
<210> 28
☐
<211> 15
☐
<212> PRT
☐
<213> Artificial Sequence
☐

☐
<220>
☐
<223> Description of Artificial Sequence:peptide
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (1)
☐
<223> X = Ac-Ile
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (15)
☐
<223> X = Val-NH2
☐

☐
<400> 28
☐
Xaa Asp Arg Ala Pro Thr Phe Arg Asp His Trp Phe Ala Leu Glx
☐
1 5 10 15
☐

☐
☐
<210> 29
☐
<211> 15
☐
<212> PRT
☐
<213> Artificial Sequence
☐

☐
<220>
☐
<223> Description of Artificial Sequence:peptide
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (1)
☐
<223> X = Ac-Pro
☐

☐
<220>
☐
<221> VARIANT
☐
<222> (15)
☐
<223> X = Tyr-NH2
☐

☐
<400> 29
☐
Xaa Arg Pro Ala Leu Val Phe Ala Asp Tyr Trp Glu Thr Leu Xaa
☐
1 5 10 15
☐

☐

☐
<210> 30
☐
<211> 15
☐
<212> PRT
☐
<213> Artificial Sequence
☐

☐
<220>
☐
<223> Description of Artificial Sequence:peptide
☐

☐
<220>
☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> X = Ac-Pro

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (15)

☐

☐ <223> X = His-NH₂

☐

☐

☐ <400> 30

☐

☐ Xaa Ala Phe Ser Arg Phe Trp Ser Asp Leu Ser Ala Gly Ala Xaa

☐

☐ 1 5 10 15

☐

☐

☐

☐ <210> 31

☐

☐ <211> 12

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (12)

☐

☐ <223> X = Phe-NH₂

☐

☐

☐ <400> 31

☐

Thr Gly Pro Ala Phe Thr His Tyr Trp Ala Thr Xaa

☐

1

5

10

☐

☐

☐

<210> 32

☐

<211> 12

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (12)

☐

<223> X = Asn-NH2

☐

☐

<400> 32

☐

Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Xaa

☐

1

5

10

☐

☐

☐

<210> 33

☐

<211> 14

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Cys(Acrld) or Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (14)

□

<223> X = Pro-NH2 .

□

□

<400> 33

□

Xaa Gly Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Xaa

□

1

5

10

□

□

□

<210> 34

□

<211> 14

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (14)

□

<223> X = Pro-NH2

□

□

<220>

□

<221> UNSURE

□

<222> (1)

□

<223> X = Ac-Cys

□

□

<400> 34

□

Xaa Gly Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Xaa

□

1

5

10

□

□

□

<210> 35

□

<211> 10

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Cys (Acrd)

□

□

<220>

□

<221> VARIANT

□

<222> (10)

□

<223> X = Pro-NH2

□

□

<400> 35

□

Xaa Gly Pro Thr Phe Ser Asp Leu Trp Xaa

□

1 5 10

□

□

□

<210> 36

□

<211> 10

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (10)

□

<223> x = Pro-NH2

□

□

<400> 36

□

Xaa Gly Pro Thr Phe Ser Asp Leu Trp Xaa

□

1 5 10

□

□

□

<210> 37

□

<211> 9

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac=Cys(Acrd)

□

□

<220>

□

<221> VARIANT

□

<222> (9)

□

<223> X = Pro-NH2

□

□

<400> 37

□

Xaa Pro Thr Phe Ser Asp Leu Trp Xaa

□

1

5

□

□

□

<210> 38

□

<211> 9

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> x = Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (9)

□

<223> X = Pro-NH₂

□

□

<400> 38

□

Xaa Pro Thr Phe Ser Asp Leu Trp Xaa

□

1

5

□

□

□

<210> 39

□

<211> 16

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Biotin-Ser

□

□

<220>

□

<221> VARIANT

□

<222> (16)

□

<223> X = Pro-NH₂

□

□

<400> 39

□

Xaa Gly Ser Gly Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Xaa

□

1

5

10

15

□

□

□

<210> 40

□

<211> 16

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Biotin-Ser

□

□

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (16)

☐

☐ <223> X = Pro-NH₂

☐

☐

☐ <400> 40

☐

☐ Xaa Gly Ser Gly Gln Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Xaa

☐

☐ 1

☐ 5

☐ 10

☐ 15

☐

☐

☐

☐ <210> 41

☐

☐ <211> 16

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> Biotin-Ser

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (16)

☐

☐ <223> X = Pro-NH₂

☐

☐

<400> 41

□

Xaa Gly Ser Gly Gln Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Xaa

□

1

5

10

15

□

□

□

<210> 42

□

<211> 29

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> Biotin-Ser

□

□

<220>

□

<221> VARIANT

□

<222> (29)

□

<223> X = Lys-NH₂

□

□

<400> 42

□

Xaa Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn Arg Gln Ile

□

1

5

10

15

□

□

Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Xaa

□

20

25

□

□

□

<210> 43

□

<211> 16

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<400> 43

□

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys

□

1

5

10

15

□

□

□

<210> 44

□

<211> 31

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Ala

□

□
<220>
□
<221> VARIANT
□
<222> (17)
□
<223> product = bAla
□

□
<220>
□
<221> VARIANT
□
<222> (30)
□
<223> product = bAla
□

□
<220>
□
<221> VARIANT
□
<222> (31)
□
<223> X = Lys(Biotin)-NH2
□

□
<400> 44
□
Xaa Ala Val Ala Leu Leu Pro Ala Val Leu Leu Ala Leu Leu Ala Pro
□
1 5 10 15
□

□
Ala Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn Ala Xaa
□
20 25 30
□

□
□
<210> 45
□
<211> 16
□
<212> PRT
□
<213> Artificial Sequence
□

□
<220>
□
<223> Description of Artificial Sequence:peptide
□

□
<400> 45
□
Ala Ala Val Ala Leu Leu Pro Ala Val Leu Leu Ala Leu Leu Ala Pro
□
1 5 10 15
□

□
□
<210> 46
□
<211> 8
□
<212> PRT
□
<213> Artificial Sequence
□

□
<220>
□
<223> Description of Artificial Sequence:peptide
□

□
<220>
□
<221> VARIANT
□
<222> (1)
□
<223> X = Ac-Cys
□

□
<220>
□
<221> VARIANT
□
<222> (8)
□
<223> X = Cys-NH2
□

□
<400> 46
□

Xaa Thr Phe Ser Asp Tyr Trp Xaa

☐

1

5

☐

☐

☐

<210> 47

☐

<211> 8

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (1)

☐

<223> X = Ac-Cys

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (8)

☐

<223> X = Cys-NH2

☐

☐

<400> 47

☐

Xaa Thr Phe Ser Asp Tyr Trp Xaa

☐

1

5

☐

☐

☐

<210> 48

☐

☐ <211> 8

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> x = Ac-Cys

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (8)

☐

☐ <223> X = Cys-NH₂

☐

☐

☐ <400> 48

☐

☐ Xaa Ala Phe Thr His Tyr Trp Xaa

☐

☐ 1 5

☐

☐

☐

☐ <210> 49

☐

☐ <211> 8

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Cys-NH₂

□

□

<400> 49

□

Xaa Ala Phe Thr His Tyr Trp Xaa

□

1 5

□

□

□

<210> 50

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> x = Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Cys-NH₂

□

□

<400> 50

□

Xaa Arg Phe Met Asp Tyr Trp Xaa

□

1

5

□

□

□

<210> 51

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Cys

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Cys-NH2

□

□

<400> 51

□

Xaa Arg Phe Met Asp Tyr Trp Xaa

□

1

5

□

□

□

<210> 52

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Glu

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Lys-NH2

□

□

<400> 52

□

Xaa Thr Phe Ser Asp Tyr Trp Xaa

□

1

5

□

□

□

<210> 53

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = CO-NH bridge (lactam peptide derivative)

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Glu

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = CO-NH bridge (lactam peptide derivative)

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Lys-NH2

□

□

<400> 53

□

Xaa Arg Phe Met Asp Tyr Trp Xaa

□

1

5

□

□

□

<210> 54

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Phe

□

□

<220>

□

<221> VARIANT

□

<222> (3)

□

<223> Product = Aib

□

□

<220>

□

<221> VARIANT

□

<222> (6)

□

<223> Product = Aib

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (8)

☐

<223> X = Leu-NH₂

☐

☐

<400> 54

☐

Xaa Met Xaa Tyr Trp Xaa Gly Xaa

☐

1

5

☐

☐

☐

<210> 55

☐

<211> 9

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (1)

☐

<223> X = Ac-Arg

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (4)

☐

☐ <223> Product = Aib

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (7)

☐

☐ <223> Product = Aib

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (9)

☐

☐ <223> X = Leu-NH₂

☐

☐

☐ <400> 55

☐

☐ Xaa Phe Met Xaa Tyr Trp Xaa Gly Xaa

☐

☐ 1

☐ 5

☐

☐

☐

☐ <210> 56

☐

☐ <211> 9

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

<223> x = Ac-Arg

□

□

<220>

□

<221> VARIANT

□

<222> (4)

□

<223> Product = Aib

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> X = Ac3c

□

□

<220>

□

<221> VARIANT

□

<222> (9)

□

<223> X = Leu-NH₂

□

□

<400> 56

□

Xaa Phe Met Xaa Tyr Trp Glu Xaa Xaa

□

1

5

□

□

□

<210> 57

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (1)

☐

<223> X = Ac-Phe

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (3)

☐

<223> Product = Aib

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (6)

☐

<223> Product = Aib

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (7)

☐

<223> X = Ac3c

☐

☐

<220>

☐

<221> VARIANT

☐

<222> (8)

☐

<223> X = Leu-NH2

☐

☐

<400> 57

☐

Xaa Met Xaa Tyr Trp Xaa Xaa Xaa

□

1

5

□

□

□

<210> 58

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Ac-Phe

□

□

<220>

□

<221> VARIANT

□

<222> (3)

□

<223> Product = Aib

□

□

<220>

□

<221> VARIANT

□

<222> (7)

□

<223> x = Ac3c

□

□

<220>

□

☐ <221> VARIANT

☐

☐ <222> (8)

☐

☐ <223> x = Leu-NH2

☐

☐

☐ <400> 58

☐

☐ Xaa Met Xaa Tyr Trp Gln Xaa Xaa

☐

☐ 1

☐ 5

☐

☐

☐

☐ <210> 59

☐

☐ <211> 9

☐

☐ <212> PRT

☐

☐ <213> Artificial Sequence

☐

☐

☐ <220>

☐

☐ <223> Description of Artificial Sequence:peptide

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (1)

☐

☐ <223> x = Ac-Arg

☐

☐

☐ <220>

☐

☐ <221> VARIANT

☐

☐ <222> (9)

☐

☐ <223> X = Leu-NH2

☐

☐

☐ <400> 59

☐

Xaa Phe Met Asp Tyr Trp Glu Gly Xaa

□

1

5

□

□

□

<210> 60

□

<211> 8

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> x = Ac-Phe

□

□

<220>

□

<221> VARIANT

□

<222> (8)

□

<223> x = Leu-NH2

□

□

<400> 60

□

Xaa Met Asp Tyr Trp Glu Gly Xaa

□

1

5

□

□

□

<210> 61

□

<211> 8
□
<212> PRT
□
<213> Artificial Sequence
□

□
<220>
□
<223> Description of Artificial Sequence:peptide
□

□
<220>
□
<221> VARIANT
□
<222> (1)
□
<223> x = Ac-Phe
□

□
<220>
□
<221> VARIANT
□
<222> (3)
□
<223> product = Aib
□

□
<220>
□
<221> VARIANT
□
<222> (8)
□
<223> x = Leu-NH2
□

□
<400> 61
□
Xaa Met Xaa Tyr Trp Glu Gly Xaa
□
1 5
□

□

□
<210> 62
□

<211> 8
□
<212> PRT
□
<213> Artificial Sequence
□

□
<220>
□
<223> Description of Artificial Sequence:peptide
□

□
<220>
□
<221> VARIANT
□
<222> (1)
□
<223> x = Ac-Phe
□

□
<220>
□
<221> VARIANT
□
<222> (6)
□
<223> Product = Aib
□

□
<220>
□
<221> VARIANT
□
<222> (8)
□
<223> X = Leu-NH2
□

□
<400> 62
□
Xaa Met Asp Tyr Trp Xaa Gly Xaa
□
1 5
□

□

□
<210> 63
□

<211> 12

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 63

☐

Val Gln Asn Phe Ile Asp Tyr Trp Thr Gln Gln Phe

☐

1

5

10

☐

☐

☐

<210> 64

☐

<211> 12

☐

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 64

☐

Thr Gly Pro Ala Phe Thr His Tyr Trp Ala Thr Phe

☐

1

5

10

☐

☐

☐

<210> 65

☐

<211> 14

☐

<212> PRT

☐

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<400> 65

□

Ile Asp Arg Ala Pro Thr Phe Arg Asp His Trp Phe Ala Leu

□

1 5 10

□

□

□

<210> 66

□

<211> 15

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<400> 66

□

Pro Ala Phe Ser Arg Phe Trp Ser Asp Leu Ser Ala Gly Ala His

□

1 5 10 15

□

□

□

<210> 67

□

<211> 30

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 67

□

gcggatccga tggtagaggag caggcaaatag

30

□

□

<210> 68

□

<211> 33

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 68

□

gcctgcagcc taattcgatg gcgtccctgt aga

33

□

□

<210> 69

□

<211> 32

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 69

□

gcctgcagct aggggaaata agttagcaca at

32

□

□

<210> 70

□

<211> 32

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 70

□

gcctgcagct aatcttcttc aaatgaatct gt

32

□

□

<210> 71

□

<211> 27

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 71

□

ggggatcctg aaatttcctt agctgac

27

□

□

<210> 72

□

<211> 29

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 72

□

gcggatccat ggtgaggagc aggcaaatg

29

□

□

<210> 73

□

<211> 22

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide

□

□

<220>

□

<221> VARIANT

□

<222> (1)

□

<223> X = Biotin-Ser

□

□

<400> 73

□

Xaa Gly Ser Gly Glu Pro Pro Leu Ser Gln Glu Thr Phe Ser Asp Leu

□

1

5

10

15

□

□

Trp Lys Leu Leu Pro Glu

□

20

□

□

□

<210> 74

□

<211> 18

□

<212> PRT

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:peptide

☐

☐

<400> 74

☐

Pro Pro Leu Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro

☐

1

5

10

15

☐

☐

Glu Asn

☐

☐

☐

☐

<210> 75

☐

<211> 57

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:primer DNA

☐

☐

<400> 75

☐

gtccgcctct gagtcaggaa acattttcag acctatggaa actacttcct gaaaacg 57

☐

☐

<210> 76

☐

<211> 58

☐

<212> DNA

☐

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 76

□

gaccgttttc aggaagtagt ttccataggt ctgaaaaatg tttcctgact cagaggcg 58

□

□

<210> 77

□

<211> 57

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:oligomeric DNA

□

□

<400> 77

□

gtccgcctct gagtcaggaa acattttcag acctatggaa actacttcct gaaaacg 57

□

□

<210> 78

□

<211> 57

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:oligomeric DNA

□

□

<400> 78

□

gaccgttttc aggaagtagt ttccataggt ctgaaaatgt ttcttgactc agaggcg 57

□

□

<210> 79

□

<211> 57

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:oligomeric DNA

□

□

<400> 79

□

gtccgcctgt gagtatgcct cgttttatgg attattggga gggctttaat gaaaacg 57

□

□

<210> 80

□

<211> 59

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:oligomeric DNA

□

□

<400> 80

□

gaccgttttc attaagaccc tccaataat ccataaaacg aggcatactc tcagaggcg 59

□

□

<210> 81

□

<211> 35

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 81

□

cgggatccac catgggcgat aaaattattc acctg

35

□

□

<210> 82

□

<211> 29

□

<212> DNA

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:primer DNA

□

□

<400> 82

□

ctcgacgcta acctggccta gggaattcc

29

□

□

<210> 83

□

<211> 6

□

<212> PRT

□

<213> Artificial Sequence

□

□

<220>

□

<223> Description of Artificial Sequence:peptide, amin

□

acid residues 18-23 of human p53

□

□

<400> 83

□

Thr Phe Ser Asp Leu Trp

☐

1

☐

☐

☐

☐

5

B¹
cont
Sub
C₁
cont.